

Fig. 1a

002230"4854960






Fig. 1b

002280" 4254960



Prior Art
Fig. 2


From 225
Can URI be
generated from
input? - No



Yes

315

Apply at least one other method in sequence or parallel
such as retrieving information from user modifiable
configuration settings, template, GO LIST, name
translation table, and registry (e.g., processing a FDN,
processing a TLDA as a search request, multiple
accessibility of a plurality of generated URIs)

A rectangular process node labeled 315. It contains the text "Apply at least one other method in sequence or parallel such as retrieving information from user modifiable configuration settings, template, GO LIST, name translation table, and registry (e.g., processing a FDN, processing a TLDA as a search request, multiple accessibility of a plurality of generated URIs)".

End

An oval-shaped end node containing the text "End".

Fig. 3

002280" 485E4960
09643584 082200




Fig. 4

002230" 185E4960



From 410
Generate a valid URI to access content by
extracting keywords from the non-query
component of the inaccessible URI and using
such keywords as a search request or as the
query portion of the generated valid URI




Fig. 5

To 410
Generate a valid URI to access content by extracting keywords from the non-query component of the inaccessible URI and using such keywords as a search request or as the query portion of the generated valid URI




Fig. 6

002280-48524950




Fig. 7




Fig. 8